One Year* Update: Using LinkML in Web of Things Specifications

W3C TPAC 2024 Breakout September 25 2024

Ege Korkan, Mahda Noura





Ege Korkan

■ Email: <u>eqe.korkan@siemens.com</u>

■ GitHub: @egekorkan



Mahda Noura

■ Email: <u>mahda.noura@siemens.com</u>

■ GitHub: @mahdanoura



Logistics

- W3C Calendar Entry | Session Proposal on GitHub
- Please all join IRC at https://irc.w3.org/?channels=%23linkml-wot
 - Then type present+ to check in.
 - Type q+ to raise hand
- We will take minutes there manually.
 - Scribe will be Michael McCool
- Quickly introduce yourself before speaking (now if there are not too many people)
- These slides are public. <u>Link</u>.
- The session is not recorded.

Participation Policies

- Antitrust and competition policy
 - W3C acts in a pro-competitive way that is ensured by this document.
- Positive Work Environment at W3C: Code of Ethics and Professional Conduct
 - Promote high standards of professional practice to ensure a positive work environment
- Health Rules
 - Masks and tests are optional. Stay in your room and attend virtually if you do not feel well.

Bringing some Context

Nature of this session:

- Brief presentation
- Discussion

Goal:

- Share experience

Required background:

Basic understanding of JSON-LD, Ontologies, Schema languages

Have we met before?

Were you in the previous session of this?

Schemata Follow-up

W3C Breakout Day March 12, 2024

Ege Korkan, Mahda Noura

If not, please write "new" in IRC:)



WoT Thing Description Single Source of Truth

Ege Korkan W3C TPAC Breakouts



In case you haven't been there

Resources from TPAC2023:

- Introduction from Pierre-Antoine Champin:
 https://perso.liris.cnrs.fr/pierre-antoine.champin/2023/TPAC-Schemata/
- Web of Things TD Use Case from Ege Korkan:
 https://github.com/w3c/wot/blob/main/PRESENTATIONS/2023-09-tpac/2023-09-13-Breakout-Schemata-TD Single Source of Truth.pdf
- Minutes: https://www.w3.org/2023/09/13-schemata-minutes.html
- Quick Summary

In case you haven't been there

Resources from Breakout Day 2024:

- Slides:
 https://docs.google.com/presentation/d/1930FcFaxD0GqrRuOggwZe5eorgL1
 C1Epe2cAYN3JEkk/edit?usp=sharing
- Minutes: https://www.w3.org/2024/03/12-schemata-discussion-minutes.html
- Quick Summary

Use Case of Thing Description Task Force


Web of Things TD Task Force needs to manage the following:

- Spec document, which contains vocabulary terms and information model
- Ontology documents
- SHACL shapes
- JSON Schema
- Type and Class Definitions (for now only TypeScript)
- Test cases
- Examples

All of them need publication procedure.

Soon, each binding in a registry will need the same and anyone should be able to do it...

What we were doing so far



Develop 1

STTL

Jison Parser

Before and Now

- Previously, we discussed possible technologies to use, presented an analysis


Now we are on our path to adopting LinkML! Let's see what we have found

out after 6 months...

Requirement Tool	LinkML	TreeLDR	ESMF	A.ML	Schema Salad	SOML	WIDOCO
Language	Python	Rust	Java	Scala	Python	NG	Java
Object/Dict Support	0						
Condition Check							
Array Support	0	0	0	0	0	0	X
One of	0	0	X	0	0	X	X
Type/Type[]	Χ	X	X	X	Х	X	X
Inheritance	0	0	0	0	0	0	X
Unknown object keys	0	X	X	0	X	X	X
Pattern Matching	0	0	0	0	X	0	X
JSON Schema Generation	0	0	0	X	Х	X	х
SHACL Shapes Generation	0	x	X	Х	Х	X	X
Term Documentation	0	X	X	Х	0	X	0
Diagram Generation	0	х	0	X	0	X	0
Prog. Lang. Gen.	0						
Extensibility	0						

Switch to Mahda

Vision



Transitioning from multiple sources to a single source-of-truth with LinkML schema Transitioning from manually crafting WoT artifacts to full automation with LinkML generators

WoTIS - Web of Things Integration Schema

Step 1: Clone the repo: https://github.com/w3c/wot-thing-description-toolchain-tmp

Step 2: Install uv package manager

Step 3: Install the package by: uv run wotis



CLI Usage

Note: The HTML generation does not use the W3C style yet. Customization options will be included in the future.

Live Demo: Putting WoTIS to Work

Realizing the Vision through Post-Processing

LinkML Generators provide a strong foundation, but...

Post-Processing is still required to ensure:

- Consistency between generated and hand-written WoT artifacts
- Customizations to meet specific domain requirements

What More Do We Need from LinkML?

- Natively support modeling JSON LD multi-language strings
- Scoped JSON-LD contexts
- Require open mappings for Class attributes
- Support for JSON-LD arrays and containers
- Best practices for modeling JSON-LD keywords
- Improved representations of URI, CURIE and URIORCURIE types beyond the string type
- Schema name collision resolution currently multiple schemas that have the same name are merged, even though they refer to different elements
- Contribution support on LinkML code architecture to lower the barrier

Multi-language Strings

```
{
  "@context": "https://www.w3.org/2022/wot/td/v1.1",
  "title": "MyThing",
  "titles": {
    "en": "MyThing",
    "de": "MeinDing",
    "ja": "私の物",
    "zh-Hans": "我的东西",
    "zh-Hant": "我的東西"
},
  "descriptions": {
    "en": "Human readable information.",
    "de": "Menschenlesbare Informationen.",
    "ja": "人間が読むことができる情報",
    "zh-Hans": "人们可阅读的信息",
    "zh-Hant": "人們可閱讀的資訊"
}
}
```

```
:ThingShape a sh:NodeShape ;
   sh:targetClass td:Thing ;
   skos:definition """An abstraction of a physical or a virtual entity whose
         metadata and interfaces are described by a WoT Thing
         Description, whereas a virtual entity is the composition
         of one or more Things."""^rdf:HTML;
   sh:closed false:
   sh:order 1;
   sh:property [
       sh:path td:title;
       skos:definition """Provides a human-readable title (e.g., display
               a text for UI representation) based on a default
               language."""^^rdf:HTML ;
       sh:nodeKind sh:Literal:
       sh:or ([sh:datatype xsd:string][sh:datatype rdf:langString]);
       sh:minCount 1;
       sh:maxCount 1:
       sh:order 1:
   ];
```

Scoped JSON-LD Context

```
"properties": {
                                   "@id": "td:hasPropertyAffordance".
                                "@type": "@id",
"@container": "@index",
"@index": "name",
                                   "@context": {
                                            "td": "https://www.w3.org/2019/wot/td#",
"jsonschema": "https://www.w3.org/2019/wot/json-
schema#"
                                         "wotsec": "https://www.w3.org/2019/wot/security#",
   "hctl": "https://www.w3.org/2019/wot/hypermedia#",
   "dct": "http://purl.org/dc/terms/",
   "schema: "http://schema.org/",
   "rdf": "http://www.w3.org/99/02/22-rdf-syntax-ns#",
   "@vocab": "https://www.w3.org/2019/wot/json-schema#",
   "DataSchema": {
    ""diagraphysics.chema",
   "DataSchema": {
    ""diagraphysics.chema",
    ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphysics.chema",
   ""diagraphy
                                                        "@id": "jsonschema:DataSchema"
                                             "readOnly": {
                                                        "@id": "jsonschema:readOnly"
                                             "writeOnly": {
    "@id": "jsonschema:writeOnly"
                                              "exclusiveMaximum": {
                                                        "@id": "jsonschema:exclusiveMaximum"
                                              "exclusiveMinimum": {
                                                        "@id": "jsonschema:exclusiveMinimum"
                                          },
"maximum": {
                                                        "@id": "jsonschema:maximum"
```

Thing Description Context Extension & Semantic Annotations

```
"@context": [
    "https://www.w3.org/2022/wot/td/v1.1",
        "saref": "https://w3id.org/saref#",
       "om": "http://www.ontology-of-units-of-measure.org/resource/om-2/",
        "schema": "https://schema.org"
"version": {
    "instance": "1.2.1",
    "schema:softwareVersion": "1.0.1"
},
"schema:serialNumber": "4CE0460D0G",
"schema:manufacturer": {"name": "CompanyName"},
"@type": "saref:TemperatureSensor",
"properties": {
   "temperature": {
        "description": "Temperature value of the weather station",
       "type": "number",
        "minimum": -32.5,
        "maximum": 55.2,
        "unit": "om:degreeCelsius",
        "forms": [...]
    }.
    // ...
// ...
```

How This Works in Other Models:

- JSON Schema: Achieved by setting "additionalProperties": true
- SHACL: Managed by using "closed": false

Limitation in LinkML

 LinkML does not currently support modeling TD context extensions and allowing for external vocabulary integration.

https://github.com/linkml/linkml/issues/2238

What More Do We Need from LinkML?

- Natively support modeling JSON LD multi-language strings
- Scoped JSON-LD contexts
- Require open mappings for Class attributes
- Support for JSON-LD arrays and containers
- Best practices for modeling JSON-LD keywords
- Improved URI, CURIE, URIORCURIE types beyond string type
- Schema name collision resolution currently multiple schemas that have the same name are merged, even though they refer to different elements
- Contribution support on LinkML code architecture to lower the barrier

Overall Experience

- + LinkML supports diverse schema definitions, suitable for simple & complex models
- + Easy-to-use LinkML generators
- + Good community engagement in issue discussions
- Lack of comprehensive documentation for complex use cases
- Provided error messages are in most cases not helpful
- High effort for correct slot selection for specific use cases
- Incomplete feature implementation often requires workaround

LinkML Long-Term Outlook

- Schema verbosity and maintenance
- Schema inflexibility sometimes results in defining intermediate classes
- RDF-like mental model still necessary, subject-predicate-object
- The LinkML model must be refined for individual generators can be time-consuming when multiple generators are incorporated
- Continued efforts to strengthen the community

Where should the discussion continue?

- LinkML Meetups (Stay tuned!)
- WoT WG (contact Ege Korkan (ege.korkan@siemens.com) to join the calls for this toolchain work)

Feedbacks and Whiteboard

Vladimir: Electrical CIM/CGMES wants to transition from Enterprise Architect to LinkML, but just starting. Discussion at

https://github.com/Sveino/Spec4CIM-KG/issues/9

Check-out (to be extended in the end of the meeting)

A summary before the discussion ends:

- Main points of discussion, consensus, or disagreement?
 - i. Discussion
- O What are the next steps?
 - Further work on the usage of LinkML
 - ii. Reach out to DID TF
- Who is responsible for carrying them out? (Could be a person from the session, or a group where work is ongoing, a new community group, the staff, etc.)
 - i. TD TF of the WoT WG